

Grade 2 - Adding and Subtracting Within 1,000 - Quiz

Common Core 2.NBT.B.7, 2.NBT.B.8 · maths-pdf.fr/en/

Name: _____ Class: _____ Date: ____/____/____

This **grade 2 add subtract 1000 quiz** for 2nd Grade covers adding and subtracting within 1,000 (Common Core 2.NBT.B.7, 2.NBT.B.8), with a free PDF to print.

Pick the best answer for each of the 10 questions about adding and subtracting within 1,000. Read each picture carefully, then check the explanation to learn from any mistake.

Grade 2 · Common Core State Standards: **2.NBT.B.7, 2.NBT.B.8**

Grade 2 add subtract 1000 quiz: 10 questions

Questions

Question 1

What is $(538 + 100)$?

- A. (548)
- B. (539)
- C. (438)
- D. (638)


Question 2

What is $(704 - 10)$?

- A. (604)
- B. (714)
- C. (694)
- D. (703)

Question 3

The blocks show 253 and 139. What is the sum?



253 and 139.

- A. (382)
- B. (392)
- C. (492)
- D. (292)


Question 4

What is $(612 - 275)$?

- A. (337)
- B. (463)
- C. (437)
- D. (347)

Question 5

The bar model shows 480 split into 195 and a missing part. What is the missing part?



Whole 480.

- A. (285)
- B. (675)
- C. (295)
- D. (385)

Question 6

What is 10 less than 300?

- A. (200)
- B. (290)
- C. (299)
- D. (310)

Question 7


In $(347 + 285)$, the ones add to 12. What should you do with the 12 ones?

- A. Write 12 in the ones place.
- B. Write 2 ones and regroup 1 ten.
- C. Write 1 one and regroup 2 tens.

D. Write 2 ones and regroup 1 hundred.

Question 8

The ladder subtracts 10 each step. What number goes in the last box?



Subtract 10 each step.

- A. 699
- B. 790
- C. 889
- D. 789

Question 9

The school store sold 428 pencils in the fall and 356 pencils in the spring. How many pencils did it sell in all?

- A. 784
- B. 684
- C. 774
- D. 794

Question 10

Which addition checks $723 - 486 = 237$?

- A. $237 + 723 = 960$
- B. $723 + 486 = 1,209$
- C. $237 + 486 = 723$
- D. $486 - 237 = 249$

Answers

1. **D** – Adding 100 raises the hundreds digit from 5 to 6. Adding only 10 gives 548, which is a different move.
2. **C** – 704 is 70 tens and 4 ones. One ten less is 69 tens and 4 ones, so 694. Subtracting 100 would give 604.
3. **B** – Ones: $3 + 9 = 12$, so regroup 1 ten. Tens: $5 + 3 + 1 = 9$. Hundreds: $2 + 1 = 3$. Forgetting to add the regrouped ten gives 382.
4. **A** – Trade a hundred for 10 tens and then a ten for 10 ones: 5 hundreds, 10 tens, 12 ones. Taking the smaller digit from the larger in each place gives the wrong 463.
5. **A** – The missing part is $480 - 195 = 285$. Adding the two numbers gives 675, which is too big for a part.
6. **B** – 300 is 30 tens. One ten less is 29 tens, which is 290. Subtracting 100 gives 200.
7. **B** – 12 ones are 1 ten and 2 ones. Write the 2 ones and add the 1 ten to the tens column.
8. **D** – $799 - 10 = 789$. The tens digit goes down by 1 and the hundreds digit stays 7.
9. **A** – Ones: $8 + 6 = 14$. Tens: $2 + 5 + 1 = 8$. Hundreds: $4 + 3 = 7$. Forgetting the regrouped ten gives 774.
10. **C** – Add the difference to the number taken away. $237 + 486 = 723$, the starting number.

Remember

Remember

- Add and subtract ones first, then tens, then hundreds.
- 10 ones make 1 ten and 10 tens make 1 hundred.
- Trade a ten or a hundred when a place does not have enough to subtract.
- Adding or subtracting 10 changes only the tens digit.
- Adding or subtracting 100 changes only the hundreds digit.

How to use this grade 2 add subtract 1000 quiz

Answer each question, read the explanation that appears, and keep track of your score. A score of 8 out of 10 or more means you are ready for the test.

Download the grade 2 add subtract 1000 quiz as a PDF with the button below and keep it with your notes.

Download the grade 2 add subtract 1000 quiz as a PDF with the button below and keep it with your notes.